



# APPROVAL OF MANUFACTURER CERTIFICATE

Certificate No:  
**AMMM00002XG**  
Revision No:  
**1**

This is to certify:

That

**Tycon Alloy Industries (Zhongshan) Co., Ltd.**  
**28 Wugui Road, Cuiheng New District, Zhongshan City, Guangdong Province,**  
**China**

is an approved manufacturer of  
**Steel Castings**

in accordance with

**DNV rules for classification – Ships**  
**DNV-OS-B101 – Metallic materials**  
**DNV class programme – DNV-CP-0246 Steel castings**

and the following particulars:

<b>Application area</b>	<b>Castings for boilers, pressure vessels and piping systems,</b> <b>Stainless steel castings</b>
<b>Steel type</b>	<b>Austenitic stainless</b>
<b>Casting method</b>	<b>See page 2</b>
<b>Max. weight</b>	<b>1 500 kg (Sand casting), 120 kg (Investment Casting)</b>
<b>Max. wall thickness</b>	<b>See page 2</b>
<b>Heat treatment condition</b>	<b>See page 2</b>

Manufacturer(s) approved by this certificate is/are accepted to deliver according to DNV GL, DNV and GL rules.  
Materials to be applied to DNV classed object shall fulfill the material requirements in the applicable DNV class rules.

Issued at **Hamburg** on **2024-11-12**

This Certificate is valid until **2027-11-24**.

DNV local unit: **China South NB**

Approval Engineer: **Andreas Koch**



for DNV

This document has been digitally signed and will  
therefore not have handwritten signature  
Christian Wildhagen

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

## Particulars of the approval

### Stainless steel castings

Steel type	Grade <sup>3)</sup>	Casting method <sup>1)</sup>	Max. weight [kg]	Max. section / wall thickness [mm]	Heat treatment condition <sup>2)</sup>
Austenitic	GX 2 CrNi 18 10 (304L) GX 5 CrNi 19 9 (304) GX 6 CrNiNb 19 10 (347) GX 2 CrNiMo 19 11 2 (316L) GX 5 CrNiMo 19 11 2 (316) GX 5 CrNiMo 19 11 3 (317)	SC, IC	1 500 kg (SC) 120 kg (IC)	200	SHT

#### Remarks:

- <sup>1)</sup> SC: Sand Casting  
IC: Investment Casting
- <sup>2)</sup> SHT: Solution Heat Treated (Solution Annealing)
- <sup>3)</sup> Incl. equivalent grades in acc. to other standards

#### Special conditions:

- Repair welding is permitted in accordance with approved procedure: PQR210301 dated 2021.07.15 as well as in accordance with other welding procedures approved by DNV. The requirements for repair welding as stated in DNV- RU-SHIP Pt.2 Ch.2 Section 8 shall be complied with.
- Including austenitic stainless steel for approved low-temperature applications